
## SOLARTEK SILVER REFLECTIVE - MEDIUM

0.64



% may slightly change depending on glass type.

**Emissivity** 

Film Colour: Medium Reflective Silver

## SOLARTEK Films

Solartek Films Ltd, 42b High Street, Ware, Herts SG12 9BY Telephone: 08000 15 18 15 enquiries@solartekfilms.com

## **Features and Benefits**

- Ideal for office, factory and most commercial applications. Offers excellent solar protection without substantially reducing incoming light.
- It has Scratch Resistant Coating "SRC" to protect the product and avoid the appearance of scratches during normal handling and cleaning practices.
- This product carries a full 10 year manufacturer's warranty when professionally installed.
- Also available in an external version with a 3 year warranty.

www.solartekfilms.com

## SOLARTEK'S SILVER RANGE

Solartek's Silver range is available in a Dark, Medium and Light grades.

- Designed for maximum heat rejection, Solartek Silver is a perfect solution for commercial buildings that receive an excessive amount of solar exposure. Its aluminium, metallized construction provides the comfort and protection needed while reducing the suns glare that causes unwelcome eyestrain.
- Additionally Solartek Silver films will assist with balancing interior hot spots and deliver cost-efficient energy savings for Building Manager's and homeowners whilst giving daylight privacy deterring opportunist burglar's making it difficult to see through your glass that would normally present a view of your expensive belongings.
- With a modern metallic finish Solartek Silver blends in well with factory tinted glass along with today's more sophisticated commercial and residential architecture.
- Aesthetically enhances any coloured brick buildings and looks great against white or grey window frames.

- Blocks 99% UV rays which are extremely harmful.
- Reduces fading.
- 10 year manufacturer's backed warranty when installed by Solartek.
- Scratch Resistant Coating.

| Dark                | Medium              | Light               |
|---------------------|---------------------|---------------------|
| Heat Reduction 79%  | Heat Reduction 65%  | Heat Reduction 55%  |
| Glare Reduction 84% | Glare Reduction 64% | Glare Reduction 48% |